

The following Listing of the Claims will replace all prior versions and all prior listings of the claims in the present application:

Listing of The Claims:

1. (Currently amended) A method of preparing a nucleic acid sample for an analytical procedure, said sample comprising template nucleic acid and synthetic nucleic acid, wherein said template and synthetic nucleic acid comprise DNA, said method comprising treating said sample with a substance that cleaves said template nucleic acid without substantially cleaving said synthetic nucleic acid, and subjecting said treated sample to an analytical procedure, wherein said analytical procedure is selected from the group consisting of ~~gel electrophoresis~~, anion-exchange chromatography, size-exclusion chromatography, pulse-field electrophoresis, polyacrylamide gel electrophoresis, sieving gel electrophoresis, or Northern analysis, ~~or Southern analysis~~.

2. (Canceled)

3. (Canceled)

4. (Canceled)

5. (Canceled)

6. (Previously Presented) In a transcription reaction wherein a nucleic acid sample is generated comprising template nucleic acid and synthetic RNA, the improvement whereby after the transcription reaction and immediately prior to the analysis of the RNA sample, said nucleic acid sample is treated with a substance that cleaves the template nucleic acid and does not substantially cleave the RNA, wherein said substance is a restriction enzyme.

7. (Previously Presented) The method of claim 1, wherein said synthetic nucleic acid is synthesized from said template.

8. (Previously Presented) The method of claim 1, wherein said synthesized nucleic acid is synthesized in a reaction selected from the group consisting of sequencing reactions, self-sustained sequence replication amplification, transcription based amplification, strand

displacement amplification, ligation chain reaction, nucleic acid-based amplification, or oligonucleotide ligation assay.

9. (Original) The method of claim 6, wherein the template nucleic acid is DNA and the synthetic nucleic acid is RNA.

10. (Canceled)

11. (Previously Presented) The method of claim 1, wherein said substance is a restriction enzyme.

12. (Original) The method of claim 11, wherein said restriction enzyme specifically cleaves nucleic acid comprising modified residues, without substantially cleaving un-modified residues.

13. (Original) The method of claim 11, wherein said restriction enzyme specifically cleaves nucleic acid comprising un-modified residues, without substantially cleaving modified residues.

14. (Original) The method of claim 11, wherein said restriction enzyme specifically cleaves double stranded nucleic acid, without substantially cleaving single stranded nucleic acid.

15. (Previously Presented) The method of claim 1, wherein said template nucleic acid is a double stranded nucleic acid.

16. (Previously Presented) The method of claim 1, wherein said synthetic nucleic acid is a single stranded nucleic acid.

17. (Original) The method of claim 15, wherein said double-stranded template is produced in cells which incorporate methylated adenine residues into DNA molecules during replication.

18. (Original) The method of claim 17, wherein said cell is a dam⁺ E. coli cell.

19. (Previously Presented) The method of claim 6, wherein said synthetic RNA is synthesized from said template.

20. (Previously Presented) The method of claim 6, wherein said restriction enzyme specifically cleaves nucleic acid comprising modified residues, without substantially cleaving un-modified residues.

21. (Previously Presented) The method of claim 6, wherein said restriction enzyme specifically cleaves nucleic acid comprising un-modified residues, without substantially cleaving modified residues.

22. (Previously Presented) The method of claim 6, wherein said restriction enzyme specifically cleaves double stranded nucleic acid, without substantially cleaving single stranded nucleic acid.

23. (Previously Presented) The method of claim 6, wherein said template nucleic acid is a double stranded nucleic acid.

24. (Previously Presented) The method of claim 6, wherein said synthetic nucleic acid is a single stranded nucleic acid.

25. (Previously Presented) The method of claim 23, wherein said double-stranded template is produced in cells which incorporate methylated adenine residues into DNA molecules during replication.

26. (Previously Presented) The method of claim 25, wherein said cell is a dam⁺ E. coli cell.